



# Epok Tread 9015 Aggregate



## Non-skid Aggregate for Epok Tread 9015 Screed system

formerly Epok Tread Aggregates 9006 and 9007

### Product Data/ Application Instructions

- **A calcined bauxite aggregate with high resistance to incandive sparking and high polished stone value (PSV)**
- **Provides excellent anti-slip properties.**
- **Available in high and low profile**

#### Typical Uses

For use with the Epok Tread 9015 Screed Compound to produce the Epok Tread 9015 Screed System.

Epok Tread 9015 Aggregate to be applied lightly and evenly sprinkling the granules vertically on to the freshly applied Epok Tread 9015 Screed Compound. After full cure excess Aggregate should be swept off the surface, may be re-used if dry and uncontaminated.

#### Overcoating

Apply a sealer coat of Epok Tread 5107 Finish in accordance with specific Product Data/Application Instructions.

### Physical Data

Colours .....	Grey mix	
VOC .....	0 g/litre	
Average aggregate sizes for a high profile:		
Epok Tread 9015 Aggregate	1-3 mm (0.039 – 0.118 inch)	
Average aggregate sizes for a low profile:		
Epok Tread 9015 Aggregate	0.5-2 mm (0.020 – 0.079 inch)	
Theoretical coverage .....	<b>High profile</b>	<b>Low profile</b>
	5 m <sup>2</sup> /unit	7 m <sup>2</sup> /unit
	53.8 f <sup>2</sup> /unit	75.32 f <sup>2</sup> /unit

# Epok Tread 9015 Aggregate

---



## Application Data

Substrate ..... Broadcasted in Epok Tread 9015  
Screed Compound

# Epok Tread 9015 Aggregate

---



## Shipping Data

Pack size ..... 20 kg bags (two bags per unit of  
Epok Tread 9015 Screed  
Compound)



# Epok Tread 9015 Aggregate

---

## **Safety**

Since improper use and handling can be hazardous to health and cause of fire or explosion, safety precautions included with application instructions must be observed during all storage, handling, use and drying periods.

To avoid any confusion that may arise through translation into other languages, the English version of the Product Data/Application Instructions will be the governing literature and must be referred to in case of deviations with product literature in other languages.

## **Warranty**

Ameron warrants its products to be free from defects in material and workmanship. Ameron's sole obligations and Buyer's exclusive remedy in connection with the products shall be limited, at Ameron's option, to either replacement of products not conforming this warranty or credit to Buyer's account in the invoiced amount of the non-confirming products. Any claim under this warranty must be made by Buyer to Ameron in writing within five (5) days of Buyer's discovery of the claimed defect, but in no event later than the expiration of the applicable shelf life, or one year from the delivery date, whichever is earlier. Buyer's failure to notify Ameron of such non-conformance as required herein shall bar Buyer from recovery under this warranty.

**Ameron makes no other warranties concerning the product. No other warranties, whether express, implied or statutory, such as warranties of merchantability or fitness particular purpose, shall apply. In no event shall Ameron be liable for consequential or incidental damages.**

Any recommendations or suggestion relating to the use of the products made by Ameron, whether in its technical literature, or response to specific enquiry, or otherwise, is based on data believed to be reliable; however, the products and information are intended for use by Buyer's having requisite skill and know-how in the industry, and therefore it is Buyer to satisfy itself of the suitability of the products for its own particular use and it shall be deemed that Buyer has done so, as its sole descretion and risk. Variation in environment, changes in procedures of use, or extrapolation of data may cause unsatisfactory results.

## **Limitation of Liability**

Ameron's liability on any claim of any kind, including claims based upon Ameron's negligence or strict liability, for any loss or damage arising out of, connected with, or resulting from the use of the products, shall in no case exceed the purchase price allocable to the products or part thereof which give rise to the claim.

In no event shall Ameron be liable for consequential or incidental damages.

## **Condition of Sale**

All our transactions are subject to our Terms and Conditions of Sale.